

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	83	"725"/\$.ccls. and pod module	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 13:23
S2	290	(cable or television) and pod module	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 13:23
S3	2	"20050188410".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 13:30
S4	95	"725"/\$.ccls. and (pod or point near2 deployment) module	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 13:35
S5	99	"725"/\$.ccls. and (pod or point near2 deployment) near2 module	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 13:35
S6	5	"725"/\$.ccls. and (pod or point near2 deployment) near2 module same (chang\$3 or switch\$3) same tun\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 13:36
S7	17	(pod or point near2 deployment) near2 module same (chang\$3 or switch\$3) same tun\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 13:37
S9	371	"725"/\$.ccls. and tun\$3 near3 module	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 14:19
S10	25	"725"/\$.ccls. and tun\$3 near3 module same (installed or inserted or plugged)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 14:20

S11	38	"725"/\$.ccls. and (pod or point near2 deployment) module same (installed or inserted or plugged)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 14:30
S12	3	"725"/\$.ccls. and (pod or point near2 deployment) module with tuner same (installed or inserted or plugged)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 14:31
S13	4	(pod or point near2 deployment) module with tuner same (installed or inserted or plugged)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 14:32
S15	88	"725"/\$.ccls. and determin\$3 with tun\$3 with (ready or able or capable or enabl\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 14:39
S16	7	(pod or point near2 deployment) module with tun\$3 same (installed or inserted or plugged)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 14:55
S19	59	"725"/\$.ccls. and tuning near2 module	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 15:04
S22	72	"725"/\$.ccls. and tun\$3 with (ready) near3 (tun\$3 or receive or receiving)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 15:22
S23	31	"725"/\$.ccls. and determin\$3 with tun\$3 with (ready or able or capable or enabl\$3) near3 (tun\$3 or receive or receiving)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 15:23
S24	8	"725"/\$.ccls. and determin\$3 with tun\$3 with (ready or able or capable or enabl\$3) near3 (receive or receiving)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 15:26
S25	30	determin\$3 with (tuner or module near2 tuning) with (ready or able or capable or enabl\$3) near3 (tune or tuning or receive or receiving)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 15:27

S26	1311	(tuner or module near2 tuning) with (ready or able or capable) near3 (tune or tuning or receive or receiving)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 15:40
S27	1407	(tuner or module near2 tuning) with (ready or able or capable) near5 (tune or tuning or receive or receiving)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 15:40
S30	315	"725"/\$.ccls. and (tuner or module near2 tuning) with (ready or able or capable) near3 (tune or tuning or receive or receiving)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 15:41
S31	8	"725"/\$.ccls. and (tuner or module near2 tuning) with (ready or when near4 (able or capable)) near3 (tune or tuning or receive or receiving)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 15:42
S34	168	"725"/\$.ccls. and determin \$5 with tuner near3 receiv \$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 17:18
S35	92	"725"/\$.ccls. and determin \$5 near6 tuner near3 receiv\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 17:19
S39	545	"725"/\$.ccls. and chang\$3 near3 (tun\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 17:23
S40	36	"725"/\$.ccls. and determin \$3 with tuner with (function\$4 or work\$3 or able)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 17:28
S41	667	"725"/\$.ccls. and tun\$3 with (inserted or installed or detected)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 17:35

S42	20	"725"/\$.ccls. and tun\$3 with (inserted or installed or detected) same (functioning or working or (able or capable or ready or enabl\$3) near4 (receiv\$3 or tun\$3 or acquir\$3) near4 (frequenc\$3 or channel or broadcast or signal))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 17:40
S43	17	"725"/\$.ccls. and tun\$3 with (inserted or installed or detected) same (functioning or working or (able or capable or ready or enabl\$3)) near4 (receiv\$3 or tun\$3 or acquir\$3) near4 (frequenc\$3 or channel or broadcast or signal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 17:47
S45	687	"725"/\$.ccls. and tun\$3 with (functioning or working or (able or capable or ready or enabl\$3)) near4 (receiv\$3 or tun\$3 or acquir\$3) near4 (frequenc\$3 or channel or broadcast or signal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 17:49
S46	948	"725"/\$.ccls. and tun\$3 with (function\$3 or work\$3 or (able or capable or ready or enabl\$3)) near4 (receiv\$3 or tun\$3 or acquir\$3) near4 (frequenc\$3 or channel or broadcast or signal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 17:50
S52	113	"725"/\$.ccls. and (judg\$3 or determin\$5) same tun\$3 with (function\$3 or work\$3 or (able or capable or ready or enabl\$3)) near4 (receiv\$3 or tun\$3 or acquir\$3) near4 (frequenc\$3 or channel or broadcast or signal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 17:53
S53	97	"725"/\$.ccls. and (judg\$3 or determin\$5) same tun\$3 with (function\$3 or work\$3 or (able or capable or ready or enabl\$3)) near4 (receiv\$3 or tun\$3 or acquir\$3) near4 (channel or signal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 18:02

S54	192	"725"/\$.ccls. and (judg\$3 or determin\$5) near3 tuner near4 (receiv\$3 or tun\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 18:14
S55	70	"725"/\$.ccls. and (judg\$3 or determin\$5) near3 tuner near4 (receiv\$3 or tune! or tuning)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 18:14
S56	338	(judg\$3 or determin\$5) near3 tuner near4 (receiv\$3 or tune! or tuning)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 08:06
S57	70	"725"/\$.ccls. and (judg\$3 or determin\$5) near3 tuner near4 (receiv\$3 or tune! or tuning)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 08:06
S58	268	S56 not S57	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 08:06
S59	1	(judg\$3 or determin\$5) near3 tuner near4 (receiv\$3 or tune! or tuning) near4 ("at least" or number) near2 channel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 08:51
S60	218	tuner near4 (receiv\$3 or tune! or tuning) near4 ("at least" or number) near2 channel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 08:51
S61	89	(judg\$3 or determin\$5) with tuner with (receiv\$3 or tune! or tuning) with ("at least" or number) with channel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 08:56
S62	89	(judg\$3 or determin\$5) with tuner with (receiv\$3 or tune! or tuning) with ("at least" or "how many" or number) with channel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 08:58
S63	166	(judg\$3 or determin\$5) with tuner with (receiv\$3 or tune! or tuning) with ("at least" or "how many" or number or predetermined or pre determined or amount) with channel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 09:05

S65	23	(judg\$3 or determin\$5) with tuner with (receiv\$3 or tune! or tuning) with ("at least" near3 channel or ("how many" or number or predetermined or pre determined or amount) near3 channels!)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 09:09
S66	106	(judg\$3 or determin\$5) with tuner with (receiv\$3 or tune! or tuning) with ("at least" or "how many" or number or predetermined or pre determined or amount) near3 channel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 09:17
S67	286	tuner with (acquir\$3 or receiv\$3 or tune! or tuning) with ("at least" near3 channel or ("how many" or number or predetermined or pre determined or amount) near3 channels!)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 09:19
S68	137	tuner with (acquir\$3 or receiv\$3 or reception or tune! or tuning) with ("at least" near3 channel or ("how many" or number or predetermined or pre determined or amount) near3 channels!) same (switch\$3 or choos\$3 or us\$3 or transition\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 09:21
S69	142	tuner with (acquir\$3 or receiv\$3 or reception or tune! or tuning or tuned) with ("at least" near3 channel or ("how many" or number or predetermined or pre determined or amount) near3 channels!) same (switch\$3 or choos\$3 or us\$3 or transition\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 09:25

S70	35	(judg\$3 or determin\$5 or detect\$3 or measur\$3) with tuner with (receiv\$3 or tune! or tuning or tuned) with ("at least" near3 channel or ("how many" or number or predetermined or pre determined or amount) near3 channels!)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 09:43
S71	12	S70 not S65	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 09:49
S72	143	(tuning module or tuner) with (acquir\$3 or receiv\$3 or reception or tune! or tuning or tuned) with ("at least" near3 channel or ("how many" or number or predetermined or pre determined or amount) near3 channels!) same (switch\$3 or choos\$3 or us\$3 or transition\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 09:51
S73	1	2008-a89490	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 09:54
S74	618	725/140-141.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 10:47
S75	1219	725/139-141.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 10:49
S76	135	725/139-141.ccls. and tun\$3 with (card or module or pcmcia)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 10:51
S77	2	"20050105007".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 16:16

S78	90	((tuner near4 smart or pcmcia or usb or pod or point near2 deployment) or (cable card or tuner cartridge)) and (tun\$3 with number with channels!)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 16:26
S79	4	((tuner near4 smart or pcmcia or usb or pod or point near2 deployment) or (cable card or tuner cartridge)) same (tun\$3 with number with channels!)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 16:26
S80	33	((tuner near4 smart or pcmcia or usb or pod or point near2 deployment) or (cable card or tuner cartridge)) same ((reception or receiv\$3 or tun\$3) with (amount or number) with channels!)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 16:27
S81	3	((tuner near4 (smart or pcmcia or usb or pod or point near2 deployment)) or (cable card or tuner cartridge)) same ((reception or receiv\$3 or tun\$3) with (amount or number) with channels!)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 16:27
S83	20	((tuner same (smart or pcmcia or usb or pod or point near2 deployment)) or (cable card or tuner cartridge)) same (premium or ppv or pay per view or subscription)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 16:29
S84	102	((tuner same (smart or pcmcia or usb or pod or point near2 deployment)) or (cable card or tuner cartridge)) same (tun\$3 or receiv\$3 or obtain\$3 or access\$3 or reception) with channels!	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 16:38
S85	84	((tuner same (smart or pcmcia or usb or pod or point near2 deployment)) or (cable card or tuner cartridge)) same (tune or tuning or receiv\$3 or obtain\$3 or access\$3 or reception) with channels!	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 16:39



S86	10520	(tune or tuning or reception or receiv\$3 or obtain\$3) with (number or amount) near2 channels!	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 16:43
S87	15	(determin\$3 or judg\$3) with tuner with (tune or tuning or reception or receiv\$3 or obtain\$3) with (number or amount) near2 channels!	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 16:44
S88	167	(determin\$3 or judg\$3) with (receiver or tuner) with (tune or tuning or reception or receiv\$3 or obtain\$3) with (number or amount) near2 channels!	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 16:44
S89	177	number near2 channels! with (total or elapsed) near2 time	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 08:13
S91	56	number near2 channels! with (total or elapsed) near2 time and equation	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 08:23
S92	3158	table same tun\$3 same channel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 08:54
S93	109	carrier with table same tun\$3 same channel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 08:54
S95	1171	table with tun\$3 with channel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 11:04
S96	357	"725"/\$.ccls. and table with tun\$3 with channel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 11:04
S97	43	"725"/\$.ccls. and tables! with tun\$3 with channel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 11:04

S98	10	("20020101991"   "5418782"   "6456338"   "6516445"   "6671731"   "200301133572").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 11:24
S99	58	virtual channel near2 (number or numeral) with correspond\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 13:26
S100	1	display\$3 with virtual channel near2 (number or numeral) with correspond \$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 13:26
S101	29	inui.in. and virtual channel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 13:51
S102	17	inui.in. and virtual channel near3 number	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 13:52
S104	10	inui.in. and virtual channel near3 number same display\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 13:55
S105	1	tun\$3 near4 virtual channel with correspond \$3 physical channel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 15:41
S106	6	tun\$3 near4 virtual channel with correspond \$3 with physical channel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 15:41
S107	12	tun\$3 with virtual channel with correspond\$3 with physical channel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 15:51
S109	12	(switch\$3 or chang\$3 or tun\$3) with virtual channel with correspond \$3 with physical channel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 16:33

S112	0	(switch\$3 or chang\$3 or tun\$3) with (virtual channel) with correspond \$3 with channel with previous\$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 16:44
S113	0	(switch\$3 or chang\$3 or tun\$3) with (virtual channel) with correspond \$3 with previous\$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 16:45
S116	87	(switch\$3 or chang\$3 or tun\$3) with (virtual channel) with correspond \$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 16:59
S117	60	(switch\$3 or chang\$3 or tun\$3) with channel with correspond\$3 with previous\$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 07:38
S118	9	"725"/\$.ccls. and automatically near3 (switch\$3 or chang\$3 or tun\$3) with channel with correspond\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 07:58
S119	80	(tun\$3 or acquir\$3 or receiv\$3) with number near2 channels! with (total or elapsed or interval) near2 time	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 08:18
S120	2001	user with switch\$3 with tun\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 09:08
S121	311	"725"/\$.ccls. and user with switch\$3 with tun\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 09:08
S122	8	"725"/\$.ccls. and user with switch\$3 with tun\$3 near4 mode	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 09:08
S124	5	(prompt\$3 or solicit\$3) near4 user with switch\$3 with tun\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 09:11

S125	2	"4776038".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 09:13
S126	6	carrier same modulation same defined same virtual same channels same table	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 09:44
S127	7	carrier with table and modulation with table and defined with table and virtual with table	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 09:45
S128	9	carrier with \$4table and modulation with \$4table and defined with \$4table and virtual with \$4table	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 09:50
S129	16	carrier with \$4table and modulation with \$4table and channels with \$4table and virtual with \$4table	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 09:51
S130	300	(necessary or critical) same tables! and modulation and carrier and channels! and virtual	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 09:56
S131	39	(necessary or critical) same tables! and modulation and carrier and channels! and virtual and "725"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 09:56
S132	22	(necessary or critical) with tables! and modulation and carrier and channels! and virtual and "725"/\$. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 11:07
S134	59	(necessary or critical or need\$2 or must) with tables! with (tun\$3 or acquir\$3 or reception or receiv\$3) and "725"/\$. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 11:16
S135	60	(necessary or critical or need\$2 or must or mandatory) with tables! with (tun\$3 or acquir\$3 or reception or receiv\$3) and "725"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 11:23

S136	620	725/140-141.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 13:39
S137	199	725/6,8.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 13:40
S138	720	725/132-133.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 13:40
S139	451	725/152-153.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 13:40
S140	2	"4776038".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/19 13:12
S141	442	tun\$3 near4 (receiv\$3 or tune! or tuning) with ("at least" near3 channel or ("how many" or number or predetermined or pre determined or amount) near3 channels!)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 09:56
S142	0	"725"/\$.ccls. and (pod or point near2 deployment) module same first near4 (installed or inserted or plugged)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 10:00
S143	1	(tuner or pod or point near2 deployment) near2 module same first near4 (installed or inserted or plugged)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 10:00
S144	48	(chang\$3 or switch\$3) with tun\$3 near4 (receiv \$3 or tune! or tuning) with ("at least" near3 channel or ("how many" or number or predetermined or pre determined or amount) near3 channels!)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 10:01

S146	19	(us\$3 or employ\$4 or implement\$4) near4 tuner with (receiv\$3 or tun\$3) near4 (number near2 channels!)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 10:23
S148	11	(chang\$3 or switch\$3) near4 tuner with (receiv \$3 or tun\$3) near4 (number near2 channels!)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 10:30
S149	18	(chang\$3 or switch\$3) near4 tun\$3 with (receiv \$3 or tun\$3) near4 (number near2 channels!)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 10:34
S150	7	S149 not S148	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 10:34
S151	0	(chang\$3 or switch\$3) near4 tun\$3 with (receiv \$3 or tun\$3) near4 ((enough or amount or quantity) near2 channels!)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 12:34
S152	324	(chang\$3 or switch\$3) near4 new\$2 near2 tun\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 13:25
S153	11	(chang\$3 or switch\$3) near4 new\$2 near2 tun\$3 with channels!	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 13:25
S154	4	(chang\$3 or switch\$3 or uses or using) near4 new \$2 near2 (tuner or tuning near2 module) with channels!	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 13:30
S156	69	(chang\$3 or switch\$3 or uses or using) near4 new \$2 near2 (tuner or tuning near2 module)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 13:31
S157	65	S156 not S153	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 13:31

S158	57	(chang\$3 or switch\$3 or uses or using) near4 (new \$2 near2 (tuner or tuning near2 module))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 13:33
S160	57	(chang\$3 or switch\$3 or use or using) near4 (new \$2 near2 (tuner or tuning near2 module))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 13:41
S161	43	(chang\$3 or switch\$3 or use or using) with (new\$2 adj2 (tuner or tuning near2 module))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 13:45
S162	18	S161 not S160	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 13:46
S163	11159	(chang\$3 or switch\$3 or use or using or used) near3 (tuner or tuning near2 module)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 14:01
S167	36	"725"/\$.ccls. and ((smart card) or pod or (point near2 deployment)) same (initiali\$7)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 15:09
S168	337	"725"/\$.ccls. and ((smart card) or pod or (point near2 deployment) or module) same (initiali\$7)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 15:14
S169	5	"725"/\$.ccls. and ((smart card) or pod or (point near2 deployment) or module) near5 tuner same (initiali\$7)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 15:17
S173	222	"725"/\$.ccls. and ((smart card) or pod or (point near2 deployment) or module) with (initiali\$7)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 16:38
S174	10	((smart card) or pod or (point near2 deployment) or module) near5 tuner same (initiali\$7)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 16:40

S175	5	S174 not S169	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 16:40
S176	214	"725"/\$.ccls. and (pod or (point near2 deployment) or module) with (initiali\$7)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 16:44
S177	1	"725"/\$.ccls. and ((pod or (point near2 deployment)) near2 module) with (initiali\$7)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 16:45
S178	12	((pod or (point near2 deployment)) near2 module) with (initiali\$7)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 16:46
S179	6	(cablecard) with (initiali\$7)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/21 09:03
S180	97	(pod or point near2 deployment) near2 module same6 (initiali\$6 or startup or start up)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/02 09:22
S181	26	(pod or point near2 deployment) near2 module same (initiali\$6 or startup or start up)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/02 09:22
S182	242	725/75-77.ccls. and (aim\$3 or point\$3 or direct\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/02 10:42
S183	97	725/75-77.ccls. and (aim\$3 or point\$3 or direct\$3) with (antenna or receiver or satellite or dish)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/02 10:43
S184	2	725/75-77.ccls. and (aim\$3 or point\$3 or direct\$3) with (antenna or receiver or satellite or dish) with (strong\$3 or powerful or best or closest or closer or desired)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/02 10:46



S185	71	"725"/.ccls. and (aim\$3 or point\$3 or direct\$3) with (antenna or receiver or satellite or dish) with (strong\$3 or powerful or best or closest or closer or desired)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/02 10:46
S186	2	"6,137,546".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/05 13:49
S187	2	"6,775,843".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/05 13:50
S189	2	10/688,338	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/05 13:50
S190	2	"20030179320".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/05 15:54
S191	153	("348"/\$.ccls. or "725"/\$.ccls.) and tuner near5 status	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/05 15:57
S192	11	("348"/\$.ccls. or "725"/\$.ccls.) and (second or new \$2 or plug\$4 or insert\$3) near2 tuner near8 status	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/05 15:57
S193	2	("348"/\$.ccls. or "725"/\$.ccls.) and tuner near5 status same (number near2 channels!)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/05 16:01
S194	0	("348"/\$.ccls. or "725"/\$.ccls.) and (scan list) with (tuners!)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/05 16:12
S195	1	("348"/\$.ccls. or "725"/\$.ccls.) and (skip list) with (tuners!)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/05 16:12

S196	0	("348"/\$.ccls. or "725"/\$.ccls.) and (list near2 (reception or received) near2 channel) with (tuners!)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/05 16:14
S197	2	(skip list) with (tuners!)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/05 16:14
S198	0	(list near2 (reception or received) near2 channel) with (tuners!)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/05 16:15
S199	0	("348"/\$.ccls. or "725"/\$.ccls.) and (list near2 (reception or received) near2 channel) same (tuners!)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/05 16:16
S200	2	(skip list) same (tuners!)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/05 16:16
S201	3	(scan list) same (tuners!)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/05 16:16
S202	0	(skip list) same (both or first or second) near2 (tuner)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/05 16:18
S203	4	(scan list) same (both or first or second) near2 (tuner)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/05 16:18
S205	0	(scan or skip) list same (analog and digital) near4 tuner	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/05 16:20
S206	0	((scan or skip) list) same (analog and digital) near4 tuner	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/05 16:21

S207	0	((scan or skip) list) same (analog or digital) near4 tuner	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/05 16:21
S208	3	((scan or skip) near4 list) same (analog or digital) near4 tuner	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/05 16:21
S209	1	(single or master) near5 (scan or skip or receivable or reception or received) near3 list same tuner	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/05 16:23
S210	4	(autoprogram\$4) same (tuners!)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/08 08:33
S211	4	(autoprogram\$4) same (tuners! or (first or second or two or multiple or more) near2 tuner)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/08 08:34
S212	7	("348"/\$.ccls. or "725"/\$.ccls.) and (channel map) with (tuners!)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/08 08:36
S213	37	("348"/\$.ccls. or "725"/\$.ccls.) and (ca or conditional access) near4 (card or module) same (pin or password)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 12:31
S214	6	("348"/\$.ccls. or "725"/\$.ccls.) and (ca or conditional access) near4 (card or module) same (chang\$3 or switch\$3) same (pin or password)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 12:33
S215	37	("348"/\$.ccls. or "725"/\$.ccls.) and (ca or conditional access) near4 (card or module) same (pin or password)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 12:44
S216	15	("348"/\$.ccls. or "725"/\$.ccls.) and (smartcard or smart card or cablecard or pod module or pod) with (conditional access) same (pin or password)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 12:48

S217	17	("348"/\$.ccls. or "725"/\$.ccls.) and (smartcard or smart card or cablecard or pod module or pod) same (conditional access) same (pin or password)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 12:50
S218	2	S217 not S216	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 12:50
S219	9	("348"/\$.ccls. or "725"/\$.ccls.) and (cablecard) same (pin or password)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 12:59
S220	13	("348"/\$.ccls. or "725"/\$.ccls.) and (tun\$3 near4 module) same (pin or password)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 13:10
S221	369	("348"/\$.ccls. or "725"/\$.ccls.) and (ca or conditional access or smart) near4 (card or module) same (pin or password)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 13:11
S222	332	S221 not S215	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 13:11
S223	15	("348"/\$.ccls. or "725"/\$.ccls.) and (smartcard or smart card or cablecard or pod module or pod) with (conditional access or premium) same (pin or password)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 13:12
S224	18	("348"/\$.ccls. or "725"/\$.ccls.) and (smartcard or smart card or cablecard or pod module or pod) same (conditional access or premium) same (pin or password)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 13:12
S226	274	("348"/\$.ccls. or "725"/\$.ccls.) and (smartcard or smart card or cablecard or pod module or pod) same (password)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 13:29

S227	10	("348"/\$.ccls. or "725"/\$.ccls.) and (smartcard or smart card or cablecard or pod module or pod) same (password) same4 (conditional access or premium channels)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 13:31
S230	28	(ca or conditional access) near4 (card or module) same (pin number or password)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 13:39
S231	20	S230 not S215	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 13:40
S232	45	("348"/\$.ccls. or "725"/\$.ccls.) and (smartcard or smart card or cablecard or pod module or pod) same (password) and (conditional access or premium channels)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 14:48
S235	3	("348"/\$.ccls. or "725"/\$.ccls.) and (insert\$4 or connect\$4 or plug\$4) same (prompt\$4) with (password or pin) same (pod or point near2 deployment or smartcard or smart card or cablecard or cable card)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 14:54
S238	0	((insert\$4 or connect\$4 or plug\$4) same (prompt\$4 or input\$4) with (password or pin) same (pod or point near2 deployment or smartcard or smart card or cablecard or cable card)) same6 (conditional access)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 14:56
S239	792	((insert\$4 or connect\$4 or plug\$4) same (prompt\$4 or input\$4) with (password or pin) same (pod or point near2 deployment or smartcard or smart card or cablecard or cable card))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 14:57

S240	29	("348"/\$.ccls. or "725"/\$.ccls.) and ((insert\$4 or connect\$4 or plug\$4) same (prompt\$4 or input\$4) with (password or pin) same (pod or point near2 deployment or smartcard or smart card or cablecard or cable card))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 14:57
S241	14	("348"/\$.ccls. or "725"/\$.ccls.) and ((prompt\$4) with (password or pin) same (pod or point near2 deployment or smartcard or smart card or cablecard or cable card))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 15:01
S242	77	725/25-31.ccls. and (card or module) same (password or pin number)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 15:03
S243	237	((insert\$4 or connect\$4 or plug\$4) same (prompt\$4 or input\$4) with (password or pin number) same (pod or point near2 deployment or smartcard or smart card or cablecard or cable card))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/16 08:26
S244	77	725/25-31.ccls. and (card or module or smartcard) same (password or pin number)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/16 08:28
S245	77	725/25-31.ccls. and (card or module or pod or smartcard) same (password or pin number)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/16 08:33
S246	45	725/25-31.ccls. and (card or module or pod or smartcard) same (pin)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/16 08:39
S247	28	S246 not S245	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/16 08:39

12/ 16/ 2008 12:20:23 PM

C:\Documents and Settings\rhance\My Documents\EAST\Workspaces\10783104.wsp